



खजुरा गाउँपालिका
KHAJURA RURAL MUNICIPALITY
गाउँ कार्यपालिकाको कार्यालय
OFFICE OF RURAL MUNICIPAL

EXECUTIVE
खजुरा गाउँपालिका
बागमती प्रदेश, नेपाल
Bagamatinagar, Lumbini Province, Nepal

लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal

प.सं. (Ref.No):- २०८२/०८३ (कृषि शाखा)

मिति (Date):- २०८३/०१/२१

च.न: (Des no):-

कृषि यन्त्र उपकरण तथा कृषि सामग्रीहरूको दररेट माग सम्बन्धी प्रथम पटक प्रकाशित सूचना

खजुरा गाउँपालिकाको आ.व. २०८२/८३ को स्विकृत ६०% अनुदानमा कृषि यन्त्र उपकरण तथा सिचाइ सामग्री वितरण र आइ.पि.एम कृषक पाठशाला सञ्चालन समुहलाई आवश्यक कृषि सामग्री तथा टनेल निर्माण वार्षिक कार्यक्रम अनुसार कृषक/कृषि फर्म/कृषक समुह र कृषि सहकारीलाई अनुदानमा यन्त्र उपकरण तथा कृषि सामग्री उपलब्ध गराउने कार्यक्रम रहेकोले आपूर्ति गर्न इच्छुक कम्पनी/ डिलर फर्म तथा आपूर्तिकर्ताले आवश्यक विवरण सहितको दररेट यो सूचना प्रकाशन भएको मितिले ७ (सात) दिनभित्र यस गाउँ कार्यपालिकाको कार्यालयमा आइपुग्ने गरी पेश गर्नका लागि यो सूचना प्रकाशित गरिएको छ । यससँग सम्बन्धित आवेदनको ढाँचा र कृषि यन्त्र उपकरणको किसिम लगायतका पेश गर्नुपर्ने आवश्यक कागजात सम्बन्धी विस्तृत विवरण यस कार्यालयको गाउँपालिकाको पेज बाट प्राप्त गर्न सकिनेछ ।

आवेदनका साथ संलग्न गर्नुपर्ने कागजातहरू:

१. व्यवसाय दर्ता प्रमाणपत्र, नविकरण सहितको प्रमाणित प्रतिलिपी ।
२. संस्थाको PAN/VAT प्रमाणपत्रको प्रमाणित प्रतिलिपी ।
३. कर चुक्ता प्रमाणपत्रको प्रतिलिपी ।
४. आधिकारिक डिलर सर्भिस सेन्टरको संस्था दर्ता PAN/VAT प्रमाणपत्र र सम्झौतापत्रको प्रमाणित प्रतिलिपी ।
५. कृषि औजार उपकरणहरूको specification खुल्ने Catloges र Leaflets
६. कृषि यान्त्रिकरण सम्बन्धित दररेट अनुसारको विवरण तयार गरि प्रत्येक पाना प्रमाणित गरेको हुनुपर्नेछ

दिल बहादुर पौडेल
प्रमुख प्रशासकीय अधिकृत

"हामी आफैँ बनाउँ हाम्रो खजुरा, आत्मनिर्भर र समृद्ध खजुरा"

स्थायी लेखा नं. २०१२९११४०
कार्यालय कोड नं. ८०१०५५७०३



खजुरा गाउँपालिका
KHAJURA RURAL MUNICIPALITY
गाउँ कार्यपालिकाको कार्यालय
OFFICE OF RURAL MUNICIPAL
EXECUTIVE
बागमती नगर, बाँके
Bagamatinagar, Banke

Google Plus Code
4H78+C9, Bagamatinaga

लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal

प्रस्ताव दररेट फारम

१. फर्मको नाम:.....
२. कार्यालयको ठेगाना.....
- सम्पर्क नं.....
- इमेल:.....
३. आधिकारिक व्यक्तिको नाम:.....
- पद:.....
- सम्पर्क नं:.....
- इमेल:.....
४. फर्म रजिष्ट्रेशन नं:.....
५. रजिष्ट्रेशन गर्ने कार्यालय:.....
६. फर्म दर्ता मिति:.....
७. PAN/VAT रजिष्ट्रेशन नं.....
८. व्यापारको किसिम.....
९. उपलब्ध गराउन सक्ने सामग्री र कोटेशन) विभिन्न क्षमताका उल्लेख गर्ने।

दिल बहादुर पौडेल
प्रमुख प्रशासकीय अधिकारी

"हामी आफैँ बनाउँ हाम्रो खजुरा, आत्मनिर्भर र समृद्ध खजुरा"

क्र.सं.	वृत्ति सामग्री (Items)	(सामग्री) Specifications	इकाई Unit	परिमाणु Qty.	दर Rate	वै.सं. VAI	विवरण Description	आवृत्ति Frequency	आवृत्ति Period	कर्मचारी Name
1	1.5" Delivery Pipe	Nominal dia. 1.5", lay-flat hose, reinforced PVC or rubber-lined synthetic fabric, double-layer, heavy-duty, suitable for pump discharge.	Kg.	1						
2	2" Delivery Pipe	Nominal dia. 2", lay-flat hose, reinforced PVC or rubber-lined synthetic fabric, double-layer, heavy-duty, suitable for pump discharge.	Kg.	1						
3	2.5" Delivery Pipe	Nominal dia. 2.5", lay-flat hose, reinforced PVC or rubber-lined synthetic fabric, double-layer, heavy-duty, suitable for pump discharge.	Kg.	1						
4	3" Delivery Pipe	Nominal dia. 3", lay-flat hose, reinforced PVC or rubber-lined synthetic fabric, double-layer, heavy-duty, suitable for pump discharge.	Kg.	1						
5	4" Delivery Pipe	Nominal dia. 4", lay-flat hose, reinforced PVC / fabric, double-layer, heavy-duty, suitable for pump discharge.	Kg.	1						
6	5" Delivery Pipe	Nominal dia. 5", lay-flat hose, reinforced PVC / fabric, double-layer, heavy-duty, suitable for pump discharge.								
7	6" Delivery Pipe	Nominal dia. 6", lay-flat hose, reinforced PVC / fabric, double-layer,								

दिल बहादुर पौडेल
प्रशासकीय अधिकृत

		heavy-duty, suitable for pump discharge.						
8	8" Delivery Pipe	Nominal dia. 8", lay-flat hose, reinforced PVC / fabric, double-layer, heavy-duty, suitable for pump discharge.						
9	0.75" Drip pipe	Nominal Dia. 0.75 inches, HDPE material, PN - 2 or higher, drip irrigation.	Meter	1				
10	Drip Pipe	Nominal dia. 20 mm, LLDPE/LDPE drip lateral pipe, UV-stabilized, suitable for drip irrigation systems.	Meter	1				
11	1.5" Black Pipe	Nominal Dia. 1.5 inches, HDPE material, PN - 5 or higher.	Meter	1				
12	1.5" Black Pipe	Nominal Dia. 2 inches, HDPE material, PN - 5 or higher.	Meter	1				
13	2.5" Black Pipe	Nominal Dia. 2.5 inches, HDPE material, PN - 5 or higher.	Meter	1				
14	3" Black Pipe	Nominal Dia. 3 inches, HDPE material, PN - 5 or higher.	Meter	1				
15	2" Black Pipe	Nominal Dia. 2 inches, HDPE material, PN - 10 or higher.	Meter	1				
16	2.5" Black Pipe	Nominal Dia. 2.5 inches, HDPE material, PN - 10 or higher.	Meter	1				
17	3" Black Pipe	Nominal Dia. 3 inches, HDPE material, PN - 10 or higher.	Meter	1				
18	Mulching Plastic	LDPE mulch film, UV stabilized, thickness - min. 25 microns, width - 1.2 m, roll length - 400 m.	Roll	1				

सुनसरी गाउँपालिका
कार्यपालिकाको कार्यालय
बोगमतीनगर, बाँके
सुनसरी प्रदेश, नेपाल

सुनसरी गाउँपालिका
कार्यपालिकाको कार्यालय
बोगमतीनगर, बाँके
सुनसरी प्रदेश, नेपाल

19	Section Pipe	Nominal bore - 4 inches, MS or GI, PN - 6 to PN - 10, Medium class (Class B) or better.	Meter	1				
20	Water Pump	Centrifugal monoblock pump, 1 HP rated, single phase, suction/delivery - 50×50 mm, IS 9079 marked, at 12 m head min. 4 LPS discharge, enclosure min. IP 54, dynamically balanced rotating parts.	Pc.	1				
21	Water Pump	Centrifugal monoblock pump, 1.5 HP rated, single phase, suction/delivery - 80×80 mm, IS 9079 marked, at 12 m head min. 5 LPS discharge, enclosure min. IP 54, dynamically balanced rotating parts.						
22	Water Pump	Centrifugal monoblock pump, 1.5 HP rated, single phase, suction/delivery - 50×50 mm, IS 9079 marked, at 14 m head min. 4 LPS discharge, enclosure min. IP 54, dynamically balanced rotating parts.	Pc.	1				
23	Water Pump	Centrifugal monoblock pump, 2 HP rated, single phase, suction/delivery - 80×80 mm, IS 9079 marked, at 12 m head min. 8 LPS discharge, enclosure min. IP 54, dynamically balanced rotating parts.	Pc.	1				
24	Water Pump	Centrifugal monoblock pump, 2 HP rated, single phase, suction/delivery - 50×50 mm, IS 9079 marked, at 20 m head min. 4 LPS discharge, enclosure min. IP	Pc.	1				

संजुना गाउँपालिका कार्यपालिकाको कार्यालय
बागमतीनगर, बुकि
नेपाल
स्विचनी प्रदेश

संजुना गाउँपालिका
बागमतीनगर, बुकि
नेपाल

		54, dynamically balanced rotating parts.						
25	Water Pump	Centrifugal monoblock pump, 3 HP rated, suction/delivery - 80×80 mm, IS 9079 marked, at 15 m head min. 7 LPS discharge, enclosure min. IP 54, dynamically balanced rotating parts.	Pc.	1				
26	Water Pump Set	Portable engine-driven pump set, petrol engine 5 - 6 HP, 4-stroke, recoil start, fuel tank - min. 2.5 liters, centrifugal pump, pump size - 80×80 mm, discharge capacity: min. 800 LPM, total head - 20 to 30m, Indian brand.	Pc.	1				
27	Water Pump Set	Portable engine-driven set, petrol 5 - 6 HP, 4-stroke petrol engine, recoil start, fuel tank - min. 2.5 liters, centrifugal pump, pump size 80×80 mm, discharge capacity: min. 800 LPM, total head- 20 to 30 m, Chinese brand.	Pc.	1				
28	Submersible Pump	Borewell submersible pump, 1.5 HP rated, single phase, 50 mm dia. outlet, SS/Noryl impeller, water-filled, multi-stage, SS body, discharge rate - at 40 m head min. 85 LPM, IS 8034 compliance, Panel board & toochan cable.	Pc.	1				

सुनसरी गाउँपालिका
कार्यपालिकाको कार्यालय
बागमतीनगर, बौद्ध
लुम्बिनी प्रदेश, नेपाल


सुनसरी गाउँपालिका
कार्यपालिकाको कार्यालय
बागमतीनगर, बौद्ध
लुम्बिनी प्रदेश, नेपाल

29	Submersible Pump	Borewell submersible pump, 2 HP rated, single phase, 50 mm dia. outlet, SS/Noryl impeller, water-filled, multi-stage, SS body, discharge rate - at 40 m head min. 110 LPM, IS 8034 compliance, Panel board & toochan cable.	Pc.	1				
30	Submersible Pump	Borewell submersible pump, 1.5 HP rated, single phase, 50 mm dia. outlet, SS/Noryl impeller, oil-filled, multi-stage, SS body, discharge rate - at 40 m head min. 90 LPM, IS 8034 compliance, Panel board & toochan cable.	Pc.	1				
31	Submersible Pump	Borewell submersible pump, 2 HP rated, single phase, 50 mm dia. outlet, SS/Noryl impeller, oil-filled, multi-stage, SS body, discharge rate - at 40 m head min. 120 LPM, IS 8034 compliance, Panel board & toochan cable.	Pc.	1				
32	Chaff Cutter	Hand-operated chaff cutter with min. 2 nos. of blades attached to circular cutter wheel, min. 2 feed rollers.	Set	1				
33	Electric Chaff Cutter	Electric powered, 3 HP single-phase motor, gross weight - min. 100 kg, 2 nos. of blades on cutter wheel, 3 feed rollers.	Set	1				
34	Corn Thresher	1.5 HP motor, single phase, single barrel.	Pc.	1				
35	Corn Thresher	1.5 HP motor, single phase, double barrel.	Pc.	1				

सन्जुरा गाउँपालिका
कार्यपालिकाको कार्यालय
सोनामतीनगर, बाँके
सिन्धुली प्रदेश, नेपाल

सन्जुरा गाउँपालिका
कार्यपालिकाको कार्यालय
सोनामतीनगर, बाँके
सिन्धुली प्रदेश, नेपाल

36	Spray Tank	Battery-operated knapsack sprayer, 16 liters capacity, rechargeable battery with min. 4 hours operation per charge, HDPE tank with lance, hose and nozzle set.	Pc.	1				
37	Mini Tiller	7 HP rated, 178F variant diesel engine, manual recoil, fuel tank capacity - min. 3.5 L, tilling width - min. 1000 mm, tilling depth - min. 120 mm, blades - min. 24 nos.	Set	1				
38	Mini Tiller	7 HP rated, 178F variant diesel engine, electric start with battery, fuel tank capacity - min. 3.5 L, tilling width - min. 1000 mm, tilling depth - min. 120 mm, blades - min. 24 nos.	Set	1				
39	Reaper	Reaper attachment suitable for 7 - 10 HP mini tiller, cutting width - min. 1000 mm, net weight - min. 70 kg, crop divider - 4 nos., star-wheel feed system.	Set	1				
40	Reaper	Reaper attachment suitable for 18 - 22 HP power tiller, cutting width - min. 1200 mm, net weight - min. 90 kg, crop divider - 5 nos., star-wheel feed system, reciprocating type cutter bar	Set	1				
41	Self-Propelled Reaper	8 HP, Diesel Engine, cutting width - min. 1200mm, double conveyor and double row star-wheels, min. 5 nos. of crop divider, and net weight - min. 280 kg, 2 forwards & 1 reverse gears.	Set	1				



संलग्न प्रस्ताव पत्र
 २०७३/०७/२०७३

42	Irrigation Pipe	Nominal dia. 1.5", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				
43	Irrigation Pipe	Nominal dia. 2", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				
44	Irrigation Pipe	Nominal dia. 2.5", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				
45	Irrigation Pipe	Nominal dia. 3", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				
46	Irrigation Pipe	Nominal dia. 4", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				
47	Irrigation Pipe	Nominal dia. 5", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				
48	Irrigation Pipe	Nominal dia. 6", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				

सुनुवा गाउँपालिका
 कार्यालयको कार्यालय
 बागमतीनगर, बाँके
 सुन्दिनी प्रदेश, नेपाल

सुनुवा गाउँपालिका
 कार्यालयको कार्यालय
 बागमतीनगर, बाँके
 सुन्दिनी प्रदेश, नेपाल

49	Irrigation Pipe	Nominal dia. 8", HDPE or PVC material, flexible / lightweight suitable for irrigation water.	Kg.	1				
50	Delivery Pipe	Nominal dia. 2.5", nylon lay-flat hose, double layer, heavy-duty.	Meter	1				
51	Delivery Pipe	Nominal dia. 3", nylon lay-flat hose, double layer, heavy-duty.	Meter	1				
52	Delivery Pipe	Nominal dia. 4", nylon lay-flat hose, double layer, heavy-duty.	Meter	1				
53	Black Pipe	Nominal Dia. 1 inches, HDPE material, PN - 5 or higher.	Meter	1				
54	Water Pump	Centrifugal monoblock pump, 3 HP rated, suction/delivery - 100×100 mm, IS 9079 marked, at 15 m head min. 7 LPS discharge, enclosure min. IP 54, dynamically balanced rotating parts.	Pc.	1				

सुनसुरा गाउँपालिका
 कार्यपालिकाको कार्यालय
 बागमतीनगर, बुटके
 लुम्बिनी प्रदेश, नेपाल

सुनसुरा गाउँपालिका
 कार्यपालिकाको कार्यालय
 बागमतीनगर, बुटके
 लुम्बिनी प्रदेश, नेपाल

55	Corn Thresher	2 HP motor, single phase; double barrel.	Pc.	1				
56	Spray Tank	Knapsack sprayer, 16 liters container, manual lever operated, HDPE tank with lance, hose and nozzle set.	Pc.	1				
57	Mini Tiller	9 HP rated, 186F variant diesel engine, manual recoil, fuel tank capacity - min. 4 L, tilling width - min. 1100 mm, tilling depth - min. 150 mm, blades - min. 32 nos.	Set	1				
58	Mini Tiller	9 HP rated, 186F variant diesel engine, electric start with battery, fuel tank capacity - min. 4 L, tilling width - min. 1100 mm, tilling depth - min. 150 mm, blades - min. 32 nos.	Set	1				
59	Jab Planter	Hand-operated, double barrel, gravity feed or spring-loaded mechanism, seed capacity- 2 to 3 kg, sowing depth - 3 to 5 cm (adjustable).	Set	1				
60	Seed Drill	Hand-operated, 1-3 rows, 15 - 30 cm (adjustable) row spacing, fluted roller or gravity feed, min. 2 kg seed box capacity.	Set	1				

सुस्ता गाउँपालिका कार्यलय
गाउँ कार्यपालिकाको कार्यालय
बागमती नगर, बुकि
सुस्ता प्रदेश, नेपाल

सुस्ता गाउँपालिका
कार्यपालिकाको कार्यालय
बागमती नगर, बुकि
सुस्ता प्रदेश, नेपाल

61	Crates	HDPE / PP crate, capacity: 20-25kg , perforated sides and base for ventilation, stackable with interlocking edges, dimensions: approx. 600×400×300 mm.	Pc.	1				
62	Digital Weighing Machine (डिजिटल तराजु)	Min. 30 kg weighing capacity, SS pan, accuracy- ± 5g or better, LED/LCD display, AC mains with rechargeable battery backup.	Set	1				
63	Digital Weighing Machine (डिजिटल तराजु)	Min. 50 kg weighing capacity, SS pan, accuracy- ± 10g or better, LED/LCD display, AC mains with rechargeable battery backup.	Set	1				
64	Digital Weighing Machine (डिजिटल तराजु)	Min.100 kg weighing capacity, SS pan, accuracy- ± 20g or better, LED/LCD display, AC mains with rechargeable battery backup.	Set	1				
65	Hoe (कुटो)	Forged flat iron blade with metal handle, blade width - 15 to 25 mm. Suitable for digging and weeding.	Pc.	1				
66	Shovel (फरुवा)	Flat iron blade fixed at an angle with metal handle, blade width - 150 to 200 mm, length - min. 180 mm. Suitable for scooping, lifting and transferring loose materials.	Pc.	1				

सुनुवा गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
सुनुवा नगर, बाँके
सुनुवा प्रदेश, नेपाल

सुनुवा गाउँपालिका -
सुनुवा नगर, बाँके
सुनुवा प्रदेश, नेपाल

67	Insect Net	Insect-proof net, mesh size 40 - 50 mesh. Suitable for nursery/ tunnel use.	Square meter	1				
68	Mushroom Steaming Drum	MS / GI material drum, capacity: min. 80 liters, cylindrical drum with tight lid.	Pc.	1				
69	Canvas (त्रीपाल)	Tarpaulin sheet, size: 15ft.×18ft., aluminum rings for tying, colour - orange outside & blue inside, laminated and waterproof.	Pc.	1				
70	Tunnel house plastic	UV-stabilized polyethylene (LDPE / LLDPE), thickness - min. 200 microns, size: 6×12 m.						
71	Tunnel house plastic	UV-stabilized polyethylene (LDPE / LLDPE), thickness - min. 100 microns, size: 6×12 m.	Pc.	1				
72	Tunnel house plastic	UV-stabilized polyethylene (LDPE / LLDPE), thickness - min. 200 microns, size: 6×10 m.						
73	Tunnel house plastic	UV-stabilized polyethylene (LDPE / LLDPE), thickness - min. 100 microns, size: 6×10 m.	Pc.	1				

सन्तुला गाउँपालिका
कार्यपालिकाको कार्यालय
बागमतीनगर, बर्कटुम्बिनी पदश, नेपाल

74	Silpaulin Plastic	HDPE plastic, thickness - 90 GSM, size: 6×12 m, color - white	Pc.	1				
75	Silpaulin Plastic	HDPE plastic, thickness - 90 GSM, size: 6×12 m, color - white	Pc.	1				
76	Watering Can	HDPE / PP plastic, hand-held design with top handle and side grip, long spout with detachable sprinkler head. Capacity - min. 10 Liters for watering nursery plants.	Pc.	1				
77	rake		pc	1				

सुनुरा गाउँपालिका
कार्यपालिकाको कार्यालय
बागमती नगर, बौद्ध
सुनुरा पदश, नयाँ

सुनुरा गाउँपालिका
कार्यपालिकाको कार्यालय
बागमती नगर, बौद्ध
सुनुरा पदश, नयाँ